This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



UNITED STATES PATENT AND TRADEMARK OFFICE

Jnited	States Patent and Trademark Office
Address:	COMMISSIONER FOR PATENTS
	P.O. Box 1450
	Alexandria, Virginia 22313-1450

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO	
09/862,458	05/23/2001	Masahiko Tanaka	001425-104	7476	
21839 7590 10/10/2003			EXAMINER		
•	NE SWECKER & MA'	MOORE, KARLA A			
POST OFFICE ALEXANDRIA	BOX 1404 L, VA 22313-1404		ART UNIT	PAPER NUMBER	
	,		1763		

DATE MAILED: 10/10/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	No.	Applicant(s)				
1		09/862,458		TANAKA ET AL.				
	Office Action Summary	Examiner		Art Unit				
		Karla Moo		1763	<u> </u>			
Period fo	The MAILING DATE of this communication app or Reply	pears on the d	cover sheet with the co	orrespondence addre	}SS			
A SH THE - Exte after - If the - If NO - Failu - Any	ORTENED STATUTORY PERIOD FOR REPL' MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. e period for reply specified above is less than thirty (30) days, a reply openiod for reply is specified above, the maximum statutory period vare to reply within the set or extended period for reply will, by statute reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	36(a). In no even y within the statuto will apply and will o c, cause the applic	t, however, may a reply be time bry minimum of thirty (30) days expire SIX (6) MONTHS from the ation to become ABANDONED	ely filed will be considered timely. he mailing date of this comm (35 U.S.C. § 133).	nunication.			
1)[]	Responsive to communication(s) filed on 17	July 2003 .						
2a)□	· · · · · · · · · · · · · · · · · · ·		on-final.					
3)□								
Disposit	ion of Claims							
4)⊠	Claim(s) 1-27 is/are pending in the application							
	4a) Of the above claim(s) is/are withdraw	wn from cons	sideration.					
· · ·	Claim(s) is/are allowed.							
	Claim(s) <u>1, 4-5,8-11,14-17,20-24 and 26-27</u> is/	•						
·	Claim(s) <u>2,3,6,7,12,13,18,19 and 25</u> is/are objective (s)							
	Claim(s) are subject to restriction and/o ion Papers	r election red	luirement.					
	The specification is objected to by the Examine	ır.						
· <u> </u>	The drawing(s) filed on is/are: a)☐ accept		biected to by the Exan	niner.				
, —	Applicant may not request that any objection to the	,	•					
11)	The proposed drawing correction filed on	_ is: a) <u> </u> app	oroved b) disappro	ved by the Examiner.				
	If approved, corrected drawings are required in rep	ply to this Offic	ce action.					
12)	The oath or declaration is objected to by the Ex	aminer.						
Priority (ınder 35 U.S.C. §§ 119 and 120							
13)	Acknowledgment is made of a claim for foreign	n priority und	er 35 U.S.C. § 119(a)	-(d) or (f).				
a)	☐ All b)☐ Some * c)☐ None of:							
	1. Certified copies of the priority document	s have been	received.		•			
	2. Certified copies of the priority document	s have been	received in Application	on No				
* (3. Copies of the certified copies of the prior application from the International Bu See the attached detailed Office action for a list	reau (PCT R	ule 17.2(a)).		age			
14) 🗌 A	Acknowledgment is made of a claim for domesti	c priority und	ler 35 U.S.C. § 119(e) (to a provisional ar	oplication).			
	 The translation of the foreign language pro Acknowledgment is made of a claim for domesting 							
Attachmen		•						
2) 🔲 Notic	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449) Paper No(s)	5		(PTO-413) Paper No(s). atent Application (PTO-1				

Application/Control Number: 09/862,458

Art Unit: 1763

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1, 4-5, 8-9, 11, 14-15, 17 and 20-24, 26-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,083,363 to Ashtiani et al. in view of U.S. Patent No. 6,086,677 to Umotoy et al.
- 3. Ashtiani et al. disclose the invention substantially as claimed in Figure 1 and comprising: a vacuum reaction chamber (column 4, rows 39-43) and a dividing plate (Figure 1, 52; Figure 4A, 54; column 6, rows 51-57), the vacuum reaction chamber is divided into a plasma discharge space (12) and a film deposition process space (14; column 1, 13-25), the dividing plate having a plurality of holes (55) therein, the plurality of holes connect the plasma discharge space with the film deposition process space, and a plasma is used to generate radicals in the plasma discharge space, which radicals are introduced into the said film deposition process space through the plurality of holes in the dividing plate, the radicals are introduced into the film deposition process space to deposit a film on a substrate (18) disposed in the film deposition process space, the dividing plate is made of a plurality of laminated (layered) plates (Figure 5, 80, 82, 84; column 7, rows 35-39).
- 4. However, Ashtiani et al. fail to teach the dividing plate further comprising internal spaces separated from the plasma discharge space and connected with the film deposition process space, and a precursor gas is introduced is directly introduced into the film deposition process space from the internal spaces, whereby the radicals and precursor gas introduced into the film deposition process space react together to deposit a film on a substrate disposed in the film deposition process space.

Application/Control Number: 09/862,458 Page 3

Art Unit: 1763

5. Umotoy et al. teach the use of a multiple plate gas introduction apparatus (see Figures 1 and 9) with a plurality of holes (multiple part numbers, 206, 210, 604) and internal spaces (multiple part numbers, 204 and 208) for the purpose of providing at least two gases to a process region without commingling of the gases prior to reaching the process region (column 2, rows 39-43).

- 6. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided a multiple plate gas introduction apparatus with a plurality of holes and internal spaces in Ashtiani et al. in order to provide at least two gases to a process region without commingling of the gases prior to reaching the process region as taught by Umotoy et al.
- 7. Ashtiani et al. further fail to teach the dividing plate is made of a plurality of plates connected together by securely bonding them over substantially an entire area of their interfacial surfaces.
- 8. Umotoy et al. teach fusing together a plurality of laminated plates at their contacting surfaces for the purpose of avoiding the use of o-rings while maintaining separation of gases as gases transition from the upper plate to the lower plate (column 3, rows 33-44 and column 5, rows 5-15).
- 9. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided a plurality of laminated plates fused together at their contacting surfaces in order to avoid the use of o-rings while maintaining a separation of gases as the gases transition form an upper plate to a lower plate as taught by Umotoy et al.
- 10. With respect to claims 5 and 8, both Ashtiani et al. disclose the invention substantially as claimed and as described above.
- 11. However, the Ashtiani et al. fail to teach the plurality of holes formed to satisfy the condition uL/D>1, where u is the gas flow rate inside the holes, L is the effective length of the holes and D is the diffusion coefficient.
- 12. Umotoy et al. teach that the choice of hole size for each gas is purely a process condition and as such, hole size will depend on gas flow rate, gas pressure, gas type, chamber pressure and the like (column 5, rows 57-63).

Application/Control Number: 09/862,458 Page 4

Art Unit: 1763

13. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to find an optimum gas hole configuration in Ashtiani et al. based on conditions of each individual process as taught by Umotoy et al.

- 14. Further, the courts have ruled where the general conditions of a claim are disclosed by the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. In re Aller, 220 F.2d 454, 456, 105 USPQ 233, 2235 (CCPA 1955).
- 15. With respect to claims 9, 15, 21, 24, Ashtiani et al. teaches that the dividing plate is made of electrically conductive material (column 6, rows 51-57).
- 16. Claims 10 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ashtiani et al. and Umotoy et al. as applied to claims 1, 4-5, 8-9, 11, 14-15, 17 and 20-24, 26-27 above, and in view of U.S. Patent No. 5,433,786 to Hu et al.
- 17. Ashtiani et al. and Umotoy et al. disclose the invention substantially as claimed and as described above.
- 18. However, Ashtiani et al. and Umotoy et al. fail to teach the plurality of plates bonded together by a plurality of rivets.
- 19. Hu et al. teach the use of rivets and other suitable fastening means for the purpose of assembling an electrode (column 3, rows 53-56).
- 20. It would have been obvious to one of ordinary skill in the art at the time the Applicant's invention was made to have provided rivets or other suitable fastening means in Ashtiani et al. and Umotoy et al. in order to assemble the dividing plate/electrode as taught by Hu et al.

Allowable Subject Matter

21. Claims 2-3, 6-7, 12-13, 18-19 and 25 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Application/Control Number: 09/862,458 Page 5

Art Unit: 1763

22. The prior art presented above fails to teach or fairly suggest a plurality of metal fixings (either rivets or threaded parts) to securely bond the laminated plates over the entire area of their interfacial surfaces, and the plurality of holes provided in the dividing plate are provided through the metal fixings. Additionally, no other prior art reference provides motivation for the feature.

Response to Arguments

- 23. Applicant's arguments, see Paper No. 8, filed 7/17/03, with respect to the rejection(s)of claim(s) under Suzuki have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Ashtiani et al. Applicant's argument that the bonding process taught in Umotoy et al. would not be applicable to Suzuki is valid and the rejections based on Suzuki have been withdrawn. Examiner points out that the motivation for the combination in the present office action can be found in Umotoy et al. at column 3, rows 33-44 and column 5, rows 5-15.
- 24. Applicant's arguments filed 7/17/03 with respect to claims 5 and 8 have been fully considered but they are not persuasive. Applicant argues that the recited subject matter is more than simple optimization. Applicant points out that the elements of claims 5 and 8 prevent precursor gas from flowing back toward a plasma discharge space. This function is obviously a result of the gas hole configuration, which Umotoy et al. teach is a process condition to be optimized.
- 25. Applicant's arguments filed 7/17/03 with respect to claims 10 and 16 have been fully considered but they are not persuasive. In response to applicant's argument that one of ordinary skill in the art would not have been motivated to apply the teachings of Hu to those of Suzuki and Umotoy, it has been held that a prior art reference must either be in the field of applicant's endeavor or, if not, then be reasonably pertinent to the particular problem with which the applicant was concerned, in order to be relied upon as a basis for rejection of the claimed invention. See *In re Oetiker*, 977 F.2d 1443, 24 USPQ2d 1443 (Fed. Cir. 1992). In this case, not only is Hu in the field of applicant's endeavor (gas introduction apparatus for a processing chamber), Hu is also concerned with a common problem (suitable assembly of the gas introduction apparatus).

Application/Control Number: 09/862,458

Art Unit: 1763

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be

directed to Karla Moore whose telephone number is 703.305.3142. The examiner can normally be

reached on Monday-Friday, 8:30am-5:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory

Mills can be reached on 703.308.1633. The fax phone numbers for the organization where this

application or proceeding is assigned are 703.872.9310 for regular communications and 703.872.9311 for

After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be

directed to the receptionist whose telephone number is 703.308.0661.

km

September 26, 2003

GOZGORY MILLS SUPERVISORY PATENT EXAMINER Page 6

TECHNOLOGY CENTER 1700